ELSEVIER

Neuroscience Letters 346 (2003) 187–190

Neuroscience Letters

www.elsevier.com/locate/neulet

Author Index to Volume 346

Ajamian, F., Suuronen, T., Salminen, A., Reeben, M., Upregulation of class II histone deacetylases mRNA during neural differentiation of cultured rat hippocampal progenitor cells, 57
Aldegheri, L., see Terstappen, G.C., 85
Alfieri, A., see Melani, A., 93
Al-Saleh, S.S., Kaur, C., Ling, E.A., Response of neurons and microglia/macrophages in the area postrema of adult rats following exposure to hypobaric hypoxia, 77
An, S.-J., see Kang, T.-C., 49
Antunes-Rodrigues, J., see Giusti-Paiva, A., 21
Arcidiacono, M.V., see Braida, D., 61

Bai, X.-C., see Li, X.-M., 29
Barnes, T.A., see Wright, K.E., 145
Bates, E.A., see Wicha, N.Y.Y., 165
Beetz, C., see Preußat, K., 33
Bourgouin, P., see Lepage, M., 73
Braida, D., Pegorini, S., Arcidiacono, M.V., Consalez, G.G., Croci, L., Sala, M., Post-ischemic treatment with cannabidiol prevents electroencephalographic flattening, hyperlocomotion and neuronal injury in gerbils, 61
Breen, K.C., see Farquhar, M.J., 53
Brodeur, M., see Lepage, M., 73
Burmester, T., see Wystub, S., 114
Busija, D.W., see Shimizu, K., 41

Calo', G., see Wright, K.E., 145
Canepari, M., see Donato, R., 177
Carignani, C., see Terstappen, G.C., 85
Carnio, E.C., see Giusti-Paiva, A., 21
Chang, H.-K., see Shin, M.-S., 157
Cimarosti, H., see Porciúncula, L.O., 101
Consalez, G.G., see Braida, D., 61
Corte, L.D., see Melani, A., 93
Croci, L., see Braida, D., 61

D'Andrea, G., Terrazzino, S., Fortin, D., Farruggio, A., Rinaldi, L., Leon, A., HPLC electrochemical detection of trace amines in human plasma and platelets and expression of mRNA transcripts of trace amine receptors in circulating leukocytes, 89
de Castro, M., see Giusti-Paiva, A., 21
De Micheli, E., see Melani, A., 93
Deutch, A.Y., see Scruggs, J.L., 137
Dijksterhuis, G., see Møller, P., 129
Dolan, S., Evans, N.P., Richter, T.A., Nolan, A.M., Expression of gonadotropin-releasing hormone and gonadotropin-releasing hormone receptor in sheep spinal cord, 120
Donato, R., Canepari, M., Lape, R., Nistri, A., Effects of caffeine on the excitability and intracellular Ca^{2+} transients of neonatal rat hypoglossal motoneurons in vitro, 177
Dubocovich, M.L., see Rivera-Bermúdez, M.A., 37
Dun, N.J., see Ohsawa, M., 13

Earnest, D.J., see Rivera-Bermúdez, M.A., 37
Elias, L.L.K., see Giusti-Paiva, A., 21
Endo, T., Yanagawa, Y., Obata, K., Isa, T., Characteristics of GABAergic neurons in the superficial superior colliculus in mice, 81
Evans, N.P., see Dolan, S., 120

Fang, J., see Kushikata, T., 161
Farquhar, M.J., Gray, C.W., Breen, K.C., The over-expression of the wild type or mutant forms of the presenilin-1 protein alters glycoprotein processing in a human neuroblastoma cell line, 53
Farruggio, A., see D'Andrea, G., 89
Feng, G.Y., see Yang, M.S., 133
Fortin, D., see D'Andrea, G., 89
Frey, H.-P., Kaernbach, C., König, P., Cats can detect repeated noise stimuli, 45
Fujiki, N., see Yoshida, Y., 182

Góngora-Alfaro, J.L., see Villanueva-Toledo, J., 1
Günther, J., see Stippich, C., 109
Galea, L.A.M., see Ormerod, B.K., 25
Gao, T.-M., see Li, X.-M., 29
Gerdin, M.J., see Rivera-Bermúdez, M.A., 37
Ghisleni, G., see Porciúncula, L.O., 101
Giusti-Paiva, A., Ruginsk, S.G., de Castro, M., Elias, L.L.K., Carnio, E.C., Antunes-Rodrigues, J., Role of nitric oxide in lipopolysaccharide-induced release of vasopressin in rats, 21
Gray, C.W., see Farquhar, M.J., 53
Graziani, F., see Terstappen, G.C., 85
Guerrini, R., see Wright, K.E., 145

Hähnel, S., see Stippich, C., 109
Hankeln, T., see Wystub, S., 114
Hashikawa, T., see Tochitani, S., 105
He, L., see Yang, M.S., 133
Horiguchi, T., see Shimizu, K., 41
Huang, H., see Li, X.-M., 29
Hwang, I.K., see Kang, T.-C., 49

Inamura, N., Nawa, H., Takei, N., Developmental changes of eukaryotic initiation factor 2B subunits in rat hippocampus, 117

doi:10.1016/S0304-3940(03)00730-4

Isa, T., see Endo, T., 81
Iwamoto, K., Kato, T., RNA editing of serotonin 2C receptor in human postmortem brains of major mental disorders, 169

Jang, M.-H., see Shin, M.-S., 157
Jaskiw, G.E., Lipska, B.K., Weinberger, D.R., The anxiogenic β-carboline FG-7142 inhibits locomotor exploration similarly in postweanling and adult rats, 5
Jeong, I.-G., see Shin, M.-S., 157
Jiao, X.-Y., see Wang, Y.-Z., 9
Jin, W.-L., see Liu, Y.-Y., 153
Jing, Y.-L., see Zhang, X.-L., 65
Joe, E.-h., see Pyo, H., 141
Jou, I., see Pyo, H., 141
Ju, G., see Liu, Y.-Y., 153
Ju, G., see Wang, Y.-Z., 9

König, P., see Frey, H.-P., 45
Kaernbach, C., see Frey, H.-P., 45
Kalff, R., see Preußat, K., 33
Kang, T.-C., Park, S.-K., Hwang, I.K., An, S.-J., Won, M.H., Presynaptic γ-aminobutyric acid type B receptor-mediated regulation of vesicular γ-aminobutyric acid transporter expression in the gerbil hippocampus, 49
Kato, T., see Iwamoto, K., 169
Kaur, C., see Al-Saleh, S.S., 77
Kim, C.-J., see Shin, M.-S., 157
Kim, H., see Shin, M.-S., 157
Kim, Y.-P., see Shin, M.-S., 157
Kimmeskamp, S., see Prätorius, B., 173
Kitamura, Y., Tsuchiya, D., Takata, K., Shibagaki, K., Taniguchi, T., Smith, M.A., Perry, G., Miki, H., Takenawa, T., Shimohama, S., Possible involvement of Wiskott–Aldrich syndrome protein family in aberrant neuronal sprouting in Alzheimer's disease, 149
Kocki, T., Luchowski, P., Luchowska, E., Wielosz, M., Turski, W.A., Urbanska, E.M., L-Cysteine sulphinate, endogenous sulphur-containing amino acid, inhibits rat brain kynurenic acid production via selective interference with kynurenine aminotransferase II, 97
Konrad, F., see Stippich, C., 109
Kraft, R., see Preußat, K., 33
Kress, B., see Stippich, C., 109
Krueger, J.M., see Kushikata, T., 161
Kubota, T., see Kushikata, T., 161
Kushikata, T., Kubota, T., Fang, J., Krueger, J.M., Neurotrophins 3 and 4 enhance non-rapid eye movement sleep in rabbits, 161
Kutas, M., see Wicha, N.Y.Y., 165

Lambert, D.G., see Wright, K.E., 145
Lape, R., see Donato, R., 177
Laufs, T., see Wystub, S., 114
Lee, H.-H., see Shin, M.-S., 157
Lee, T.-H., see Shin, M.-S., 157
Leon, A., see D'Andrea, G., 89
Lepage, M., Brodeur, M., Bourgouin, P., Prefrontal cortex contribution to associative recognition memory in humans: an event-related functional magnetic resonance imaging study, 73
Levine, J.B., Martin, G., Wilson, A., Treistman, S.N., Clozapine inhibits isolated *N*-methyl-D-aspartate receptors expressed in xenopus oocytes in a subunit specific manner, 125
Li, X.-M., Bai, X.-C., Qin, L.-N., Huang, H., Xiao, Z.-J., Gao, T.-M., Neuroprotective effects of Buyang Huanwu Decoction on neuronal injury in hippocampus after transient forebrain ischemia in rats, 29
Lim, B.-V., see Shin, M.-S., 157
Ling, E.A., see Al-Saleh, S.S., 77
Lipska, B.K., see Jaskiw, G.E., 5
Liu, H.-L., see Liu, Y.-Y., 153
Liu, Y.-Y., Jin, W.-L., Liu, H.-L., Ju, G., Electron microscopic localization of Nogo-A at the postsynaptic active zone of the rat, 153
Luchowska, E., see Kocki, T., 97
Luchowski, P., see Kocki, T., 97
Luo, N., see Wang, Y.-Z., 9

Møller, P., Dijksterhuis, G., Differential human electrodermal responses to odours, 129
Maas, U., see Wystub, S., 114
Maki, R.A., see Yoshida, Y., 182
Mao, L., Wang, J.Q., Contribution of ionotropic glutamate receptors to acute amphetamine-stimulated preproenkephalin mRNA expression in the rat striatum in vivo, 17
Martin, G., see Levine, J.B., 125
McDonald, J., see Wright, K.E., 145
Melani, A., De Micheli, E., Pinna, G., Alfieri, A., Corte, L.D., Pedata, F., Adenosine extracellular levels in human brain gliomas: an intraoperative microdialysis study, 93
Meng, J.-H., see Wang, Y.-Z., 9
Miki, H., see Kitamura, Y., 149
Milani, T.L., see Prätorius, B., 173
Mizoguchi, H., see Ohsawa, M., 13
Mohammed, J., see Stippich, C., 109
Mohanakumar, K.P., see Samantaray, S., 69
Moo-Puc, R.E., see Villanueva-Toledo, J., 1
Moreno, E.M., see Wicha, N.Y.Y., 165

Nagase, H., see Ohsawa, M., 13
Narita, M., see Ohsawa, M., 13
Nawa, H., see Inamura, N., 117
Nishino, S., see Yoshida, Y., 182
Nistri, A., see Donato, R., 177
Nolan, A.M., see Dolan, S., 120

Obata, K., see Endo, T., 81
Ohsawa, M., Mizoguchi, H., Narita, M., Nagase, H., Dun, N.J., Tseng, L.F., Involvement of β-arrestin-2 in modulation of the spinal antinociception induced by μ-opioid receptor agonists in the mouse, 13
Ormerod, B.K., Galea, L.A.M., Reproductive status influences the survival of new cells in the dentate gyrus of adult male meadow voles, 25

Park, S.-K., see Kang, T.-C., 49
Patt, S., see Preußat, K., 33
Payne, R.M., see Shimizu, K., 41
Pedata, F., see Melani, A., 93
Pegorini, S., see Braida, D., 61
Pellacani, A., see Terstappen, G.C., 85
Peng, X.-Q., see Zhang, X.-L., 65
Perry, G., see Kitamura, Y., 149
Pinna, G., see Melani, A., 93
Porciúncula, L.O., Rocha, J.B.T., Cimarosti, H., Vinadé, L., Ghisleni, G., Salbego, C.G., Souza, D.O., Neuroprotective effect of ebselen on rat

hippocampal slices submitted to oxygen–glucose deprivation: correlation with immunocontent of inducible nitric oxide synthase, 101
Prätorius, B., Kimmeskamp, S., Milani, T.L., The sensitivity of the sole of the foot in patients with Morbus Parkinson, 173
Preußat, K., Beetz, C., Schrey, M., Kraft, R., Wölfl, S., Kalff, R., Patt, S., Expression of voltage-gated potassium channels Kv1.3 and Kv1.5 in human gliomas, 33
Pula, G., see Terstappen, G.C., 85
Pyo, H., Yang, M.-S., Jou, I., Joe, E.-h., Wortmannin enhances lipopolysaccharide-induced inducible nitric oxide synthase expression in microglia in the presence of astrocytes in rats, 141

Qin, L.-N., see Li, X.-M., 29
Qin, W., see Yang, M.S., 133

Rajapakse, N., see Shimizu, K., 41
Reeben, M., see Ajamian, F., 57
Reuss, S., see Wystub, S., 114
Richter, T.A., see Dolan, S., 120
Rinaldi, L., see D'Andrea, G., 89
Rivera-Bermúdez, M.A., Gerdin, M.J., Earnest, D.J., Dubocovich, M.L., Regulation of basal rhythmicity in protein kinase C activity by melatonin in immortalized rat suprachiasmatic nucleus cells, 37
Rocha, J.B.T., see Porciúncula, L.O., 101
Rowbotham, D.J., see Wright, K.E., 145
Ruginsk, S.G., see Giusti-Paiva, A., 21

Saaler-Reinhardt, S., see Wystub, S., 114
Sala, M., see Braida, D., 61
Salbego, C.G., see Porciúncula, L.O., 101
Salminen, A., see Ajamian, F., 57
Samantaray, S., Mohanakumar, K.P., Calcium channel agonist, (±)-Bay K8644, causes an immediate increase in the striatal 1-methyl-4-phenylpyridinium level following systemic administration of the dopaminergic neurotoxin, 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine, in Balb/c mice, 69
Sartor, K., see Stippich, C., 109
Schmidt, D., see Scruggs, J.L., 137
Schmidt, M., see Wystub, S., 114
Schrey, M., see Preußat, K., 33
Schwarz, D., see Yoshida, Y., 182
Scruggs, J.L., Schmidt, D., Deutch, A.Y., The hallucinogen 1-[2,5-dimethoxy-4-iodophenyl]-2-aminopropane (DOI) increases cortical extracellular glutamate levels in rats, 137
Shibagaki, K., see Kitamura, Y., 149
Shimizu, K., Rajapakse, N., Horiguchi, T., Payne, R.M., Busija, D.W., Neuroprotection against hypoxia-ischemia in neonatal rat brain by novel superoxide dismutase mimetics, 41
Shimohama, S., see Kitamura, Y., 149
Shin, M.-C., see Shin, M.-S., 157
Shin, M.-S., Kim, H., Chang, H.-K., Lee, T.-H., Jang, M.-H., Shin, M.-C., Lim, B.-V., Lee, H.-H., Kim, Y.-P., Yoon, J.-H., Jeong, I.-G., Kim, C.-J., Treadmill exercise suppresses diabetes-induced increment of neuropeptide Y expression in the hypothalamus of rats, 157
Smith, M.A., see Kitamura, Y., 149
Souza, D.O., see Porciúncula, L.O., 101
Stippich, C., Mohammed, J., Kress, B., Hähnel, S., Günther, J., Konrad, F., Sartor, K., Robust localization and lateralization of human language function: an optimized clinical functional magnetic resonance imaging protocol, 109
Suuronen, T., see Ajamian, F., 57

Takata, K., see Kitamura, Y., 149
Takei, N., see Inamura, N., 117
Takenawa, T., see Kitamura, Y., 149
Taniguchi, T., see Kitamura, Y., 149
Terrazzino, S., see D'Andrea, G., 89
Terstappen, G.C., Pellacani, A., Aldegheri, L., Graziani, F., Carignani, C., Pula, G., Virginio, C., The antidepressant fluoxetine blocks the human small conductance calcium-activated potassium channels SK1, SK2 and SK3, 85
Tochitani, S., Hashikawa, T., Yamamori, T., *occ1* mRNA expression reveals a characteristic feature in the hippocampal CA2 field of adult macaques, 105
Treistman, S.N., see Levine, J.B., 125
Tseng, L.F., see Ohsawa, M., 13
Tsuchiya, D., see Kitamura, Y., 149
Turski, W.A., see Kocki, T., 97

Urbanska, E.M., see Kocki, T., 97

Villanueva-Toledo, J., Moo-Puc, R.E., Góngora-Alfaro, J.L., Selective A_{2A}, but not A_1 adenosine antagonists enhance the anticataleptic action of trihexyphenidyl in rats, 1
Vinadé, L., see Porciúncula, L.O., 101
Virginio, C., see Terstappen, G.C., 85

Wölfl, S., see Preußat, K., 33
Wang, J.Q., see Mao, L., 17
Wang, X.F., see Yang, M.S., 133
Wang, Y.-Z., Meng, J.-H., Yang, H., Luo, N., Jiao, X.-Y., Ju, G., Differentiation-inducing and protective effects of adult rat olfactory ensheathing cell conditioned medium on PC12 cells, 9
Weinberger, D.R., see Jaskiw, G.E., 5
Wicha, N.Y.Y., Bates, E.A., Moreno, E.M., Kutas, M., Potato not Pope: human brain potentials to gender expectation and agreement in Spanish spoken sentences, 165
Wielosz, M., see Kocki, T., 97
Wilson, A., see Levine, J.B., 125
Won, M.H., see Kang, T.-C., 49
Wright, K.E., McDonald, J., Barnes, T.A., Rowbotham, D.J., Guerrini, R., Calo', G., Lambert, D.G., Assessment of the activity of a novel nociceptin/orphanin FQ analogue at recombinant human nociceptin/orphanin FQ receptors expressed in Chinese hamster ovary cells, 145
Wystub, S., Laufs, T., Schmidt, M., Burmester, T., Maas, U., Saaler-Reinhardt, S., Hankeln, T., Reuss, S., Localization of neuroglobin protein in the mouse brain, 114

Xiao, Z.-J., see Li, X.-M., 29
Xie, W.-R., see Zhang, X.-L., 65
Xie, Y.-K., see Zhang, X.-L., 65

Yamamori, T., see Tochitani, S., 105
Yanagawa, Y., see Endo, T., 81
Yang, H., see Wang, Y.-Z., 9
Yang, M.-S., see Pyo, H., 141

Yang, M.S., Wang, X.F., Qin, W., Feng, G.Y., He, L., Evidence for a major susceptibility locus at 11q22.1–23.3 has been detected in a large Chinese family with pure grand mal epilepsy, 133
Yoon, J.-H., see Shin, M.-S., 157
Yoshida, Y., Fujiki, N., Maki, R.A., Schwarz, D., Nishino, S., Differential kinetics of hypocretins in the cerebrospinal fluid after intracerebroventricular administration in rats, 182
Zhang, X.-L., Peng, X.-Q., Jing, Y.-L., Xie, W.-R., Xie, Y.-K., Sialic acid contributes to generation of ectopic spontaneous discharges in rats with neuropathic pain, 65